1-877-903-7246



www.trenchdrainsupply.com

Number

DP0751

Series


TPC 700


Catch Basin with Frame
Polycast 700 Series


Meets the following Standards & Specifications:

DIN 19580 / DIN EN 1433 Drainage Channels for Vehicular and Pedestrain Areas

AASHTO H-20 and H-25 per AASHTO M-306 Drainage, Sewer, Utility and Related Castings







ASTM Standard D543. Test Method for Resistance of Plastics to

ASTM Standard D570, Test Method for Water Absorption of Plastic ASTM Standard D576, Practice for Determination of Weight and Shape Change of Plastics Under Accelerated Service Conditions ASTM Standard G53, Recommended Practice for Operating Light and Water Exposure Apparatus for Exposure of Non-Metallic Materials ASTM Standard C78, Test Method for Flexural Strength of Concrete ASTM Standard C579, Test Method for Compressive Strength of

Chemical Reagents

Grate Options (Select One)				
~	Grate Type		Part No.	DIN Load Class
	Dutlle Iron Longitudinal Slotted Cast Iron Slotted		DG0685HD DG0643	Class E Class D
~	Options (Select All That Apply)	Part No.	Additional Specifications	
_	Vinyl Ester Concrete Channels HDPE Corrugated Plastic Debris Basket	DV0751 DA0751TA		

Manufacturer

PAIULASI.

Specification

POLYCAST DP0751 SERIES CATCH BASINS ARE DESIGNED TO BE USED AS COLLECTION POINTS, DRAIN RUN TRANSITIONS AND INTERCEPTORS TO COLLECT SOLID DEBRIS. CATCH BASINS ARE DESIGNED TO ACCOMMODATE ALL DRAIN SIZES AND HAVE CUT-OUTS DESIGNED SPECIFICALLY FOR CHANNELS WITH CATALOG NUMBERS ENDING IN 5, 0, N AND H

DISCLAIMER - The customer and the customer architects, engineers, consultants, and other professionals are completely responsible for the selection installation and maintenance of any product purchased from Trench Drain Supply and/or its manufacturers. TRENCH DRAIN SUPPLY MAKES NO WARRANTY, EXPRESS OR IMPLIED, AS TO THE SUITABILITY, DESIGN, MERCHANTIBILITY, OR FITNESS OF THE PRODUCT FOR CUSTOMERS APPLICATION. The drawing and information provided remain the property and copyright of the manufacturer listed. The manufacturer reserves the right to modify specification without notice.