


Finally! A grated drainage system
that's better in every way.



Supplied By:

**TRENCHDRAIN
SUPPLY**

877-903-7246

www.trenchdrainsupply.com

Σ SIGMA™ / GATIC™ M50 TrenchDrain

Specialized Engineering. Special Advice.


SIGMA™ / GATIC™ M50 TrenchDrain

The Innovative New TrenchDrain System. Install up to 130ft per hour!

The all new, all steel Gatic M50 TrenchDrain system is designed for a variety of applications up to D400 load rating. With a maximum of only 3 channel sizes required for any project it offers significant advantages over traditional systems. These advantages include, a robust and durable galvanized steel design, 2 meter lengths for fast installation, and an innovative installation chair for quick and easy adjustment.



C250 & D400 gratings available. Tested to EN1433:2002.



Stackable channels for easy transportation & storage.

Adaptable chairs also allow any type of bar or rebar to be used vertically and horizontally up to 3/4".



Accessories



Step Connector



End Cap Outlets



End Caps



Catch Basin


Contact your local SIGMA Representative
 Tel no: (800) 999-2550
 email: HydrotecSales@sigmaco.com
 Web: www.sigmaco.com

- Communal areas and urban landscaping
- Schools and athletic projects
- Walk ways and pedestrian areas
- Parking lots and gas stations
- Garden and open spaces
- Shopping malls


M50 Channel Selection Guide

STEP 1 – Select Channels


- There are three channel sizes and a catch basins available.
- Each color and letter represent a different channel depth & catch basin.



- For optimum performance, runs should consist of an equal number of channel sizes wherever possible.
- Cut the shallower channel to length if required.



STEP 2 – Choose Channel Components



STEP 3 – Select Accessories