



TAG

Supplied By

877-903-7246 www.trenchdrainsupply.com

Flow

(gpm)

583

857

1144

1438

1739

2043

2350

2659

-

2970

3283

(lps)

37

54

72

91

110

129

148

168

-


187

207

(cfs)

12 [305] WIDE REVEAL FIBER REINFORCED POLYMER **TRENCH DRAIN SYSTEM WITH STEEL FRAME**

Dimensional Data (inches and [mm]) are Subject to Manufacturing Tolerances and Change Without Notice



ENGINEERING SPECIFICATION: Zurn Z812

Channels shall be 120 [3048] long, 12 [305] wide reveal and have a 9-1/4 [235] throat. Modular channel sections shall be made of Fiber Reinforced Polymer (FRP). Shall have a positive mechanical connection between channel sections that will not separate during the installation and shall mechanically lock into the concrete surround every 12 [305]. Channels shall weigh less than 5.05 lbs.[2.29kg] per linear foot, have a smooth, 3 [76] radiused self cleaning bottom with a Manning's coefficient of .009 and 1.04% or neutral 0% built in slope. Shall be provided with standard DGC grates that lock down to frame. Zurn 12 [305] wide reveal Ductile Iron Slotted Grate conforming to ASTM specification A536-84, Grade 80-55-06. Ductile Iron grate is rated class C per the DIN EN1433 top load classifications. Supplied in 24 [608] nominal lengths with 13/16 [21] wide slots, and 1-1/2 [38] bearing depth. Grate has an open area of 80.80 sq. in per ft. [171027 sq. mm per meter]. The 1/4 [6] thick Heavy-Duty Carbon Steel Frame Assembly conforms to ASTM specification A36 with 12-4 [102] long concrete anchors per 120 [3048]. Grate lockdown bars are to be integral to the frame. The frame is supplied with a powder coated finish. All welds must be performed by a certified welder per ASTM standard AWS D1.1. Frames Shall be produced in the U.S.A.

PREFIX OPTIONS (Check/specify appropriate options) Trench 'A' 'B' Ζ Ten-foot Fiber Reinforced Polymer (FRP) Channel * No. Shallow Inv. Deep Inv. ΖV Ten-foot Fiber Reinforced Vinylester Channel 2001 6.25 [159] 7.50 [191] 1.299 SUFFIX OPTIONS (Check/specify appropriate options) 2002 7.50 [191] 8.75 [222] 1.910 Outlet Adapters Add/Each 2002N 8.75 [222] 8.75 [222] -E1 Closed End Cap -1.14 4 [102] No-Hub Bottom Outlet 2003 8.75 [222] 10.00 [254] 2.548 -E4 4 [102] No-Hub End Outlet -U6 6 [152] No-Hub Bottom Outlet 2004 10.00 [254] 11.25 [286] 3.205 -E6 6 [152] No-Hub End Outlet -U8 8 [203] No-Hub Bottom Outlet 2004N 11.25 [286] 11.25 [286] -E8 8 [203] No-Hub End Outlet 2005 11.25 [286] 12.50 [318] 3.874 **Frame Options** 2006 12.50 [318] 13.75 [349] 4.552 Black Acid Resistant Coated Top Frame -CBF 13.75 [349] 15.00 [381] 5.236 2007 -CWF White Acid Resistant Coated Top Frame 2008 15.00 [381] 16.25 [413] 5.925 Sidewall Extensions - 10-3/4 [273] High -SW 2008N 16.25 [413] 16.25 [413] 16.25 [413] 17.50 [445] 6.619 Grate Options (Load Classifications are per DIN EN1433) 2009 Black Acid Resistant Epoxy Coated Ductile Grate - Class C -BDC 2010 17.50 [445] 18.75 [476] 7.315 -BDF Black Acid Resistant Epoxy Coated Ductile Grate - Class F Ductile Iron Solid Cover - Class C -DC -RPGC Reinforced Perforated Galvanized Grate - Class C Ductile Iron Slotted Grate - Class C * -DGC -RPGRC Reinforced Perforated Galvanized Reverse Ductile Iron Slotted Grate - Class E -DGF Punch Grate - Class C Ductile Iron Slotted Grate - Class F -DGF Reinforced Slotted Stainless Steel Grate - Class C -RFSC Galvanized Ductile Slotted Grate - Class C -GDC -RPSC Reinforced Perforated Stainless Steel Grate - Class C -GDE Galvanized Ductile Slotted Grate - Class E -RPSRC Reinforced Perforated Stainless Steel Reverse -GDF Galvanized Ductile Slotted Grate - Class F Punch Grate - Class C Fiberglass Grate - Class A -GG **Miscellaneous Options** -GHPDE Galvanized Heel-Proof Ductile Slotted Grate - Class E -JC Joint Connector -HPD Heel-Proof Ductile Slotted Grate - Class C Rebar Clip (Set of 2) -RC -HPDE Heel-Proof Ductile Slotted Grate - Class E Vandal-Proof Lockdown -VP Reinforced Slotted Galvanized Grate - Class C -RFGC MADE in the U.S.A MADE in the U.S.A Meets Americans with Disabilities Act -ADA-USA -PS Perforated Stainless Steel Grate - Class A Requirements - Class C -RFG Reinforced Galvanized Slotted Grate - Class B Galvanized Steel Bar Grate - Class D -RFS Reinforced Stainless Steel Slotted Grate - Class B -BG -DGC-USA Ductile Iron Slotted Grate - Class C -RPG Reinforced Galvanized Perforated Grate - Class B -DGE-USA Ductile Iron Slotted Grate - Class E -RPS Reinforced Stainless Steel Perforated Grate -Fabricated Galvanized Steel Slotted Grate - Class A -FG Class B Fabricated Stainless Steel Slotted Grate - Class A -FS -SBG-L Stainless Steel Bar Grate - Class C Galvanized Ductile ADA Slotted Grate - Class C -GADA-USA Miscellaneous Options -GDC-USA Galvanized Ductile Slotted Grate - Class C -DB Bottom Dome Strainer -GDE-USA Galvanized Ductile Slotted Grate - Class E -GHPDE-USA Galvanized Ductile Slotted Grate - Class E DATE: 05/21/12 C.N. NO. 124404 REV. Y Heel-Proof Ductile Slotted Grate - Class E -HPDE-USA -PG Perforated Galvanized Steel Grate - Class A PROD./DWG. NO. Z812 *REGULARLY FURNISHED UNLESS OTHERWISE SPECIFIED ZURN INDUSTRIES, LLC • SPECIFICATION DRAINAGE OPERATION • 1801 Pittsburgh Ave. • Erie, PA 16514

Phone: 814\455-0921 Fax: 814\454-7929 World Wide Web: www.zurn.com

In Canada: ZURN INDUSTRIES LIMITED + 3544 Nashua Drive + Mississauga, Ontario L4V1L2 + Phone: 905/405-8272 Fax: 905/405-1292